

Long Range IR Bullet Camera IR-6184



Features

- High Resolution - 650 TV Lines
- SMART IR Evenly Spreads IR Beam
- 80 Piece High Power IR LED Array
- 200 Feet Infrared Range
- 3DDNR Digital Noise Reduction
- Cable Through Bracket Mount
- IP67 Weatherproof/ Sun Shield Incl.

More Features

- 1/3" SONY Super HAD II CCD
- 2.8~12mm Auto-Iris Varifocal Lens
- OSD for Easy Camera Set-up
- True Day/Night – IR Cut Filter
- Min. Illumination 0 Lux with IR On
- DIS – Digital Image Stabilizer
- LSC - Lens Shading Compensation
- HLM - High Light Mask Function
- Privacy Masking - 6 Zones
- Motion Detection – 240 Zones
- Dual Power – 12V DC / 24V AC

Specifications	IR-6184
Image Sensor	1/3" SONY Super HAD II CCD
Resolution	650 TV Lines
Lens	2.8~12mm Auto-Iris Varifocal Lens
Scanning System	2:1 Interlaced
S/N Ratio	More than 52 dB (AGC Off)
Video Output	1.0 Vp-p Composite Video, 75 Ohms
Electronic Shutter Speed	Auto/Manual (1/60sec ~ 1/100,000sec)
Minimum Illumination	0 Lux (IR on)
Infrared	80 Piece High Power LED Array
IR Range	200 Feet Max. (61m)
Backlight Compensation	Low / Middle / High / Off; HLM: Adjustable
White Balance	ATW / AWC / Push / Manual
Auto Gain Control	Low / Middle / High / Off Selectable
Digital Noise Reduction	3DDNR: Low / Middle / High / Off Selectable
Day/Night Function	Auto / Color / B/W / CDS
Wide Dynamic Range	On / Off Selectable
Privacy Masking	On / Off (6 zone)
Motion Detection	On / Off (240 Zone)
DIS (Digital Image Stabilizer)	On / Off
OSD	Built-In OSD
Housing	Metal Alloy with Sun Shield
Power	12V DC / 24V AC
Operating Temperature	14°~122° F (-10°~50° C)