

## High Res Wide Dynamic Range Dome



### Features

- 1/3" Sony Double Scan CCD
- 580 TV Lines Resolution
- DC 12V / AC 24V Switchable
- Digital Noise Reduction (DNR)
- Wide Dynamic Range (WDR)

### Specifications

- Sensor: 1/3" Sony Double Scan CCD with Samsung Chipset
- Resolution: 580 TV Lines
- Lens: 2.8-12mm Auto Iris Varifocal
- Scanning System: 2:1 Interlace
- Sync System: Internal
- Sens Up: Auto / Fixed / Off
- Gain Control: Low, High, Off selectable
- Illumination: 0.3 Lux / F1.2 (color) / 0.00004 Lux (Sens-up x256)
- Dynamic Range: 52dB (x128)
- S/N (Y signal): 52dB (AGC off, Weight on)
- DNR: Off / On (0~32 Level Adjustable)
- Electronic Shutter: 1/60~1/120,000
- Motion Detection: On / Off (8 Zone, Alarm Output)
- Privacy: On / Off
- Mirror: On / Off
- Sharpnes: On / Off
- D&N Selection: Color / Black & White / Auto / EXT
- DIS: On / Off
- Digital Zoom: On (x10) / Off
- Blemish Compensation: 256 point (Even 128 Point, ODD 128 Point)
- Power: DC 12V / AC 24V
- Power Consumption: 140 mA
- Operating Temperature: +14 to +122 Degrees Farenheit / -10 to +50 Degrees Celsius
- Dimensions: 5.6" x 4" (D) / 142 x 95mm (D)

