

IR Bullet Camera w/SS316 Housing CC06-HB23F



Features

- High Resolution – 700 TV Lines
- AISI 316 Stainless Steel Housing
- Corrosion / Bacteria Resistant
- 1/3" SONY Super HAD II Sensor
- Smart 3D-DNR / SENS-UP x8
- 24 Piece IR LED Array
- 2.3mm Wide Angle Lens
- SS316 Bracket Included

Specifications	CC06-HB23F
Image Sensor	1/3" SONY Super HAD II CCD
Effective Pixels	976 x 494
Resolution	700 TV Lines
Lens	2.3mm Fixed Lens
Scanning System	2:1 Interlaced
Sync System	Internal
S/N Ratio	More than 52dB
Video Output	1.0 Vp-p Composite Video, 75 Ohms
Illumination	0.1 Lux at F1.2 / 0.001 Lux with SENS-UP On
LED's	24
IR Range	125 ft. / 38m Maximum
Electronic Shutter	1/60~1/100,000 Sec.
SENS-UP	x8, Default
Gain Control	Automatic
Housing	AISI SS316 / IP67
Bracket	Included
Power	12V DC
Power Consumption	Max. 1.0w (160mA)
Operating Humidity	30% ~ 90%
Dimnsions	49mm x 114mm / 1.93" x 4.49"
Operating Temperature	14°~122° F (-10°~50° C)