



# MIL-8901SV

## 3MP IP License Plate Camera



### Features

3MP H.265 Full Real Time Coding  
 HLC & BLC with License Plate Capturing  
 Function  
 ICR Auto Switch, True Day & Night  
 6 Hi-Power IR LED's (300ft)  
 IP66 Weatherproof

#### More Features

H.264 Main Profile Video  
 Compression Technology  
 S-WDR (True WDR)  
 ROI Coding  
 DC12V / POE 7W

Specification	MIL-8901SV
Sensor	1/3" CMOS
Electronic Shutter	1/25s~1/100000s
Min. Illumination	Color: 0.05 Lux @ F1.2, AGC ON, B/W: 0 Lux with IR
Lens	5.0~50mm MP DC Auto Iris Varifocal Lens (ICR)
Lens Angle	Horizontal: 50°, 80°~38° (-FZ)
Lens Mount	CS Mount
BLC	2D/3D DNR
DNR	H.264 BL / MP / HP, MJPEG
Video Compression	G.711A / G.711U
Audio Compression	64Kbps~10Mbps
Bit-Rate	VBR/CBR
Encode Mode	Five Levels under VBR; Freely Adjustable under CBR
Resolution	3 MP (2048x1536), 1080P (1920x1080), 720P (1280x720), D1, CIF, 480x240
Multi-Stream	D1 (1~30fps) / 480x240 (1~30fps) / CIF (1~30fps)
Image Setting	ROI, Saturation, Brightness, Hue, Contrast, WDR, Sharpness, DNR, etc.
Network	RJ45
Card Storage	N/A
Remote Monitoring	Browser, CVMS, Mobile CVMS
Supported Browsers	IE / Chrome / Firefox / Safari
Online Connection	10 Online Users
Protocol	TCP/IP, UDP, DHCP, NTP, RTSP, PPPoE, DDNS, SMTP, FTP
Connection Protocol	ONVIF
Storage	Network Remote Storage
Angle Adjustment	Horizontal: 0°~77°, Vertical: 0°~360°, Rotation: 0°~360°
Power Supply	DC 12V/PoE
Power Consumption	<5W, IR ON: <7W
Working Environment	-22°F~140°F (-30°C~60°C)